



# GULLWING ENCLOSURE

## Fiberglass Enclosure for Storm Water Monitoring / Sampling Equipment

TRACOM fiberglass Model 200-41 Gullwing Enclosures offer a complete solution to equipment storage needs for storm water monitoring and industrial sampling. Typically used for the protection of refrigerated samplers, the Model 200-041 also is convient for chemical storage and housing pump equipment.

Made of fiberglass reinforced plastic (FRP), TRACOM enclosures are lightweight, corrosion resistant, structurally strong, and built to meet harsh environmental conditions.

All Model 200-041 Gullwing Enclosures come with a long list of standard equipment, including:

- All stainless steel hardware
- Fully opening Gullwing door
- Self-locking stainless steel support arms
- Continuous stainless steel piano hinge
- Integral floor
- Neoprene door seal
- 1" thick foam core for harsh weather protection
- Pad lockable stainless steel hasp
- Molded-in color
- Satin finish for mininum maintenance



*Model 200-041 Gullwing Enclosure*

The unique gull-wing design allows for ready access of all of the equipment, opening a full 90° to allow the greatest access possible to the equipment inside.

Optional equipment available for the Model 200-041 includes: 120 CFM exhaust fan, 500 watt thermostatically controlled heater, fixed or adjustable louvers, GFI 115 VAC outlet, 3/4" thru-hull marine connector (for power or sample lines), custom gel coat colors, and upgraded insulation (2" thick, R=14).



*Continuous Stainless Steel Piano Hinge*



*Gullwing Under Construction  
(Note the Door Operation)*



*Optional Rear Exhaust Vent Cover*

6575-A Industrial Way • Alpharetta, Georgia 30004, USA • (Phone) 1.770.664.6513 • (Fax) 1.770.664.6565

**(Toll-Free) 1.877.435.8637**

Visit us on the web at [www.tracomfrp.com](http://www.tracomfrp.com)

e-mail: [sales@tracomfrp.com](mailto:sales@tracomfrp.com)